

Recommended use: Digestive aid.

Medicinal ingredients: Each vegetarian capsule contains:

Lipase (Acid fungal lipase,
Aspergillus niger) 12.5 mg.....1,250 LU
Protease (Proteinase,
Aspergillus oryzae) 35 mg... 17,500 HUT
Amylase (*Aspergillus oryzae*) 50.5 mg..... 5,000 DU
Cellulase (*Trichoderma reesei*) 6.5 mg..... 650 CU
Glucoamylase (Amyloglucosidase,
Rhizopus oryzae) 15 mg..... 15 AG
Policosanol (*Saccarum officinarium*) 1.25 mg

Keep in a cool dry place away from sunlight. Keep out of reach of children. Safety sealed for your protection.



Only available
from health care
practitioners.
Seulement disponible
via un professionnel de

Lipidzyme

Digestive Enzyme
Enzyme digestive

90 CAPSULES/
GÉLULES



Peel here for more information.
Tirer ici pour plus de renseignement.



Non-medicinal ingredients: Magnesium stearate, hydroxypropyl methylcellulose.

Recommended dose (adults): Take two capsules 2 - 3 times a day with food or as directed by a health care practitioner.

Caution/warnings: Do not take if pregnant or breastfeeding. Do not use in individuals with known or suspected sensitivity to the listed ingredients.

Contra-indications: This product is not recommended for those with gastritis or ulcers. Do not take concurrently with HMG-CoA reductase inhibitors. Consult a health care practitioner if you are taking anticoagulant or antiplatelet drugs.

Distributed by/Distribué par:
Biomed International Products Corp.
102 - 3738 North Fraser Way,
Burnaby, BC, V5J 5G7 Canada
1-800-665-8308 | biomedicine.com Exp:

NPN 80002841

Usage : Aide digestive.

Ingrédients médicinaux : Chaque gélule végétale contient:

Lipase (Acid fungal lipase,
Aspergillus niger) 12,5 mg 1 250 LU
Protease (Proteinase,
Aspergillus oryzae)..... 35 mg 17 500 HUT
Amylase (*Aspergillus oryzae*) 50,5 mg 5 000 DU
Cellulase (*Trichoderma reesei*) 6,5 mg 650 CU
Glucoamylase (Amyloglucosidase,
Rhizopus oryzae) 15 mg 15 AG
Policosanol (*Saccarum officinarium*)... 1,25 mg

Ingrédients non-médicinaux : Stéarate de magnésium,
Hydroxypropyl méthylcellulose.

Posologie (adultes) : Prendre 2 gélules 2 - 3 fois par jour avec le repas santé ou selon les indications d'un professionnel de la santé.

Mise en garde : Ne pas prendre si vous êtes enceinte ou pendant l'allaitement. Ne pas prendre si vous êtes sensible aux ingrédients énumérés.

Contre-indications : Contre-indiqué en présence d'ulcère de l'estomac ou intestinal. Ne pas prendre ce produit simultanément avec HMG-CoA réductase inhibiteurs. Ne pas prendre ce produit si vous prenez anticoagulants, antithrombotique, ou d'autres médicaments .

Conserver dans un endroit frais et sec à l'abri du soleil. Gardez hors de la portée des enfants. Scellé pour votre sécurité.