

**Recommended use:** A factor in the maintenance of good health.

**Medicinal ingredients:** Each tablet contains:

Vitamin B1/Thiamine (thiamin hydrochloride).....	0.7 mg
Vitamin B2/Riboflavin (riboflavin).....	0.8 mg
Vitamin B3 (niacinamide).....	9 mg
Vitamin B5/Pantothenic acid (calcium d-pantothenate)3 mg	
Vitamin B6 (pyridoxine hydrochloride).....	1 mg
Vitamin B12.....	0.5 mcg
Vitamin C (ascorbic acid).....	30 mg
Vitamin D3 (cholecalciferol).....	2.5 mcg (100 IU)
Vitamin E (d-alpha tocopherol acetate).....	5 mg AT
Vitamin K1 (menadione sodium bisulphate).....	20 mcg
Biotin.....	76 mcg
Folate (folic acid).....	100 mcg
Boron (sodium tetrahydroborate).....	0.5 mg



Only available from health care practitioners. Seulement disponible via un professionnel de la santé.



# Multivitamin & Mineral

High Absorption  
Haute absorption



NPN 80049821

Peel here for more information.  
Tirer ici pour plus de renseignement.



Calcium (calcium chloride).....	9 mg
<b>Medicinal ingredients:</b> Continued:	
Chromium (chromium trioxide).....	25 mcg
Copper (cupric sulphate).....	0.25 mg
Iodine (potassium iodide).....	75 mcg
Iron (ferric sulphate).....	2.5 mg
Magnesium (magnesium chloride).....	3 mg
Manganese (manganese chloride).....	0.25 mg
Molybdenum (sodium molybdate).....	5 mcg
Phosphorus (ammonium phosphate).....	6 mg
Selenium (selenium dioxide).....	50 mcg
Zinc (zinc chloride).....	2.5 mg
Beta carotene.....	2.4 mg
Choline (choline chloride).....	2.5 mg
Inositol.....	2.5 mg
PABA (Para-amino-benzoic acid).....	2.5 mg

Distributed by/Distribué par:

Biomed International Products Corp.  
102 - 3738 North Fraser Way, L:  
Burnaby, BC, V5J 5G7 Canada  
1-800-665-6308 | biomedicine.com Exp:

**Non-medicinal ingredients:** Stearic acid, magnesium stearate, silicon dioxide, carboxymethylcellulose sodium.

**Recommended dose (adults):** Take one tablet a day with food or as directed by a health care practitioner. Take a few hours before or after taking other medications.

**Caution/warnings:** Consult a health care practitioner prior to use if you are taking blood thinners. Consult a health care practitioner if you are pregnant or breastfeeding, or if you are taking sulfonamides. Hypersensitivity (e.g. allergy) has been known to occur, in which case, discontinue use. Avoid with known allergy or hypersensitivity to soy or any of its constituents.

Keep at room temperature in a dry, dark place. Safety sealed for your protection.

**Usage :** Un antioxydant pour l'entretien d'une bonne santé.

**Ingrédients médicinaux :** Chaque comprimé contient:

Vitamine B1/Thiamine (chlorhydrate de thiamine).....	0,7 mg
Vitamine B2/Riboflavine (riboflavine).....	0,8 mg

Vitamine B3 (niacinamide).....9 mg

Vitamine B5/Acide D-pantothénique (calcium d-pantothénate).....	3 mg
Vitamine B6 (chlorhydrate de pyridoxine) ...	1 mg
Vitamine B12.....	0,5 mcg
Vitamine C (acide ascorbique).....	30 mg
Vitamine D3 (cholecalciférol).....	2,5 mcg (100 UI)
Vitamine E (acétate de D-alpha-tocophérol).....	50 mg AT
Vitamine K1 (ménadione bisulphate de sodium). 20 mcg	
Biotine.....	76 mcg
Folate (l'acide folique).....	100 mcg
Boron (tétrahydroborate de sodium).....	0,5 mg
Calcium (chlorure de calcium).....	9 mg
Chrome (trioxyde de chrome).....	25 mcg
Cuivre (sulfate cuivrique).....	0,25 mg
Iode (iodure de potassium).....	75 mcg
Fer (sulfate ferreux).....	2,5 mg
Magnésium (chlorure de magnésium).....	3 mg
Manganèse (chlorure de manganèse)....	0,25 mg
Molybdène (molybdate sodium).....	5 mcg
Phosphore (phosphate d'ammonium).....	6 mg
Sélénium (dioxyde de sélénium).....	50 mcg

Zinc (chlorure de zinc).....	2,5 mg
Le bêta-carotène.....	2,4 mg
Choline (chlorure de choline).....	2,5 mg
Inositol.....	2,5 mg
PABA (acide para-aminobenzoïque).....	2,5 mg
Potassium (l'hydroxyde de potassium).....	6 mg

**Ingrédients non-médicinaux :** L'acide stéarique, stéarate de magnésium, dioxyde de silicium, carboxyméthylcellulose de sodium.

**Posologie (adultes) :** Prendre un comprimé par jour avec la nourriture ou selon l'avis d'un professionnel de la santé. Prendre quelques heures avant ou après la prise de médicaments.

**Mise en garde :** Consulter un professionnel de la santé avant d'utiliser si vous prenez des anticoagulants. Consulter un praticien de soins de santé si vous êtes enceinte ou allaitez, ou si vous prenez sulfonamides. Une hypersensibilité (eg alergie) a été appelé à se produire, dans ce cas, cesser l'utilisation. Évitez d'allergie ou une hypersensibilité connue au soja ou l'un de ses constituants.

Conserver à température ambiante dans un endroit sec et sombre. Tenir hors de portée des enfants. Bouchon scellé pour votre protection.